

Bleach Germicidal Wipes

Always read the label



Take control in an ever-changing healthcare environment with

Ready-to-Use Bleach Cleaner Disinfectant Wipes

Proven Efficacy

- ▶ TGA-registered to kill 58 prevalent HAI-causing pathogens and outbreak-causing viruses in 3 minutes or less.¹
- ▶ *C. difficile* sporicidal efficacy tested in the presence of 3-part organic soil load to meet updated EPA testing guidance.²

Trusted by Healthcare Facilities

- ▶ Over 25 peer-reviewed articles cite bleach-based disinfection protocols as key components of infection prevention strategies.
- ▶ Meets CDC recommendations for cleaning and disinfecting surfaces in patient care areas.

Optimised for Extended Usage

- ▶ Compatible with common healthcare hard surfaces including plastics and stainless steel.
- ▶ Recommended for hard surface cleaning such as floors, countertops, chairs, hand railing, bathrooms and much more.

At a Glance Clorox Healthcare® Bleach Germicidal Wipes

Active Ingredient Concentration	0.55% (5500 ppm) sodium hypochlorite (1:10 dilution of bleach)
<i>C. difficile</i> contact time	3 minutes
Kills outbreak-causing viruses?	Yes, in 1 minute
▶ Adenovirus type 2	
▶ Enterovirus D68	
▶ Influenza A and B viruses	
▶ MERS-CoV and SARS-CoV	
▶ Norovirus	
Kills antibiotic resistant bacteria?	Yes, in 30 seconds
▶ MRSA, VRE, CRE*	
Kills Fungi? <i>Candida albicans</i> and <i>Trichophyton mentagrophytes</i> *	Yes, in 3 minutes
Signal Word	Caution
HMIS rating	1-0-1-A
PPE Required	Follow your facility's protocols

1. Use as directed on hard, nonporous surfaces. Follow special instructions for cleaning prior to disinfection.

2. Tested in the presence of 3-part organic soil load following EPA Guidance for the Efficacy Evaluation of Products with Sporidical Claims Against *Clostridium difficile* (June 2014).

*Refer to product label for full list of disinfecting claims.

Clorox Healthcare® Bleach Germicidal Wipes

Effective Against	Kill Time
Bacteria	
<i>Acinetobacter baumannii</i>	30 sec
<i>Bordetella pertussis</i>	30 sec
<i>Campylobacter jejuni</i>	30 sec
<i>Clostridium difficile</i> (spores)¹	3 min
<i>Enterobacter aerogenes</i>	30 sec
<i>Enterobacter cloacae</i>	30 sec
<i>Enterococcus faecalis</i> (VRE) (Vancomycin-resistant)	30 sec
<i>Enterococcus faecalis</i> (MDR) (Multidrug-resistant)	30 sec
<i>Enterococcus hirae</i>	30 sec
<i>Escherichia coli</i>	30 sec
<i>Escherichia coli</i> O157:H7	30 sec
<i>Escherichia coli</i> ESBL	30 sec
<i>Escherichia coli</i> (NDM-1)	30 sec
<i>Klebsiella pneumoniae</i>	30 sec
<i>Klebsiella pneumoniae</i> ESBL	30 sec
<i>Klebsiella pneumoniae</i> (CRKP) (Carbapenem-resistant)	30 sec
<i>Klebsiella pneumoniae</i> (NDM-1)	30 sec
<i>Legionella pneumophila</i>	30 sec
<i>Listeria monocytogenes</i>	30 sec
<i>Proteus mirabilis</i>	30 sec
<i>Pseudomonas aeruginosa</i>	30 sec
<i>Salmonella enterica</i>	30 sec
<i>Serratia marcescens</i>	30 sec
<i>Shigella dysenteriae</i>	30 sec
<i>Staphylococcus aureus</i>	30 sec
<i>Staphylococcus aureus</i> (LRSA) (Linezolid-resistant)	30 sec
<i>Staphylococcus aureus</i> (MRSA) (Methicillin-resistant)	30 sec
<i>Staphylococcus aureus</i> (CA-MRSA) (Community-associated Methicillin-resistant)	30 sec
<i>Staphylococcus aureus</i> (VRSA) (Vancomycin-resistant)	30 sec
<i>Staphylococcus aureus</i> (VISA) (Vancomycin-intermediate-resistant)	30 sec
<i>Staphylococcus epidermidis</i> (CoNS)	30 sec
<i>Streptococcus pneumoniae</i>	30 sec
<i>Streptococcus pyogenes</i>	30 sec
Viruses	
Adenovirus Type 2	1 min
Avian Influenza A Virus	1 min
Canine Parvovirus	3 min
Enterovirus D68	1 min
Feline Panleukopenia Virus	3 min
Hepatitis A Virus (HAV)	1 min
Hepatitis B Virus (HBV)*	1 min
Hepatitis C Virus* (HCV)	1 min
Herpes Simplex Virus (HSV-2)	1 min
Human Coronavirus	1 min
Human Immunodeficiency Virus Type 1 (HIV-1)	30 sec
Influenza A Virus	1 min
Influenza B Virus	1 min
Measles Virus	1 min
Middle East Respiratory Syndrome Coronavirus (MERS-CoV)	1 min
Norovirus*	1 min
Poliovirus Type 1 (Mahoney)	1 min
Respiratory Syncytial Virus (RSV)	1 min
Rhinovirus	1 min
Rotavirus	1 min
Severe Acute Respiratory Syndrome-Associated Coronavirus (SARS-CoV)	1 min

TB	
<i>Mycobacterium tuberculosis</i> (TB)	3 min
Fungi	
<i>Candida albicans</i>	3 min
<i>Candida glabrata</i>	3 min
<i>Trichophyton mentagrophytes</i> (Athlete's Foot Fungus)	3 min
TOTAL: 58 CLAIMS	

Available in multiple wipe sizes and formats to ensure the right tool for every disinfecting job

The Product Line

Clinical Wipes (12cm x 15cm)

Item No. 30577
150 ct. canister, 6/case



Designed for: daily disinfection, high-touch surfaces and medical equipment

Multi Purpose Wipes (17cm x 22cm)

Item No. 35309
70 ct. canister, 6/case



Designed for: daily disinfection, patient room surfaces and medical equipment

Terminal Wipes (30cm x 30cm)

Item No. 30358
110 ct. bucket, 2/case
Item No. 30359
110 ct. refill, 2/case



Designed for: discharge disinfection, large areas

This product is listed in the Australian TGA ARTG, ID 335509

* Obtained via surrogate

1. Tested in the presence of 3-part organic soil load following EPA Guidance for the Efficacy Evaluation of Products with Sporidical Claims Against *Clostridium difficile* (June 2014)

For product resources and implementation tools, contact your Clorox sales representative or www.cloroxprofessional.com.au for more information

Australia:
1800 314 767
Level 3, 10 Herb Elliott Avenue
Sydney Olympic Park, NSW 2127

New Zealand:
0800 000280
Level 8, Building 5, Central Park
660-670 Great South Road,
Penrose, Auckland 1061

